# Georgia Department of Natural Resources

2 Martin Luther King, Jr. Drive, S.E., Suite 1462 East, Atlanta, Georgia 30334
Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch, PhD., Director
Hazardous Sites Response Program
404/657-8600


April 2, 2008

Georgia Building Authority
c/o Mr. Steve Fanczi, Deputy Director
1 Martin Luther King, Jr. Drive, SW
Atlanta, Georgia 30334

Re: HSRA Release Notification
Pullman Yards
225 Rogers Street
Atlanta, Georgia 30317

Dear Mr. Fanczi:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

**Based upon the information available to EPD at the time this evaluation was done, including your Notification dated February 27, 2007, and supplemental information dated through March 26, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property.** The property was evaluated as having limited access, non-residential use, with the nearest drinking water well located greater than 3 miles. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Antonia Beavers of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,

Robert J. Valli, P.G.
Unit Coordinator
Hazardous Sites Response Program

Encl.: Release Notification form
Trip Report
RQSM Score sheet
Recommendation Memorandum

c: Frank Smith, Georgia Building Authority; Bob Wiggins, GEFA; Rebecca King, S&ME, Inc.
File: Non-HSI (Pullman Yards, Fulton County)
S:\RDRIVE\ANTONIA\Pullman Yards\non-HSI letter.doc

# Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr. S.E., Suite 1462 East, Atlanta, Georgia 30334
Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch, Ph.D., Director
Hazardous Waste Management Branch
404-657-8600


April 3, 2008

Mr. Patrick McKenna
VLP 1, LLC
c/o GA Advanced Technology Ventures
221 Uncle Heinie Way NW
Atlanta, Georgia 30302

Re: HSRA Release Notification
Georgia Tech 14th Street Site
575 14th Street NW
Parcel Id 17 0149 LL 0056
Atlanta, Fulton County, Georgia 30308

Dear Mr. McKenna:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

**Based upon the information available to EPD at the time this evaluation was done, including your notification dated November 30, 2007, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property.** The property was evaluated as having limited access and non-residential use. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to David Reuland of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,

David Reuland
Unit Coordinator
Hazardous Sites Response Program

c. Amelia S. Magee, King and Spalding
File: Non-HSI (Georgia Tech 14th Street Site [VLP 1, LLC property], Fulton County)
Encl.: Trip Report
RQSM Score sheet
Recommendation Memorandum

S:\RDRIVE\DAVE\NONHSI\Georgia Tech 14th Street Site\nonhsi letter ga tech 14th vlp 1 llc.doc

# Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr. S.E., Suite 1462 East, Atlanta, Georgia 30334
Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch, Ph.D., Director
Hazardous Waste Management Branch
404-657-8600


April 3, 2008

Mr. Mark W. Long
Georgia Tech Foundation
760 Spring Street, NW, Suite 400
Atlanta, Georgia 30308

Re: HSRA Release Notification
Georgia Tech 14th Street Site
Parcel ID 17 0149 LL 0072
14th Street NW
Atlanta, Fulton County, Georgia 30308

Dear Mr. Long:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred. As EPD has determined that a reportable quantity has not been exceeded in groundwater and the on-site pathway evaluation has been deferred, this property will not be listed on the Hazardous Site Inventory.

The on-site pathway evaluation has been deferred due to EPD's receipt of a prospective purchaser corrective action plan (CAP) for this property pursuant to the Hazardous Site Reuse and Redevelopment ("Brownfields") Act. Upon approval of the CAP and sale of the property, the purchaser will conduct soil cleanup under oversight by EPD's Brownfields Development Unit, in accordance with an approved schedule. The on-site pathway will be evaluated after the soil cleanup is complete, unless EPD determines that the release requires an evaluation sooner.

This evaluation was made on the basis of current site conditions and information available to EPD, including your notification dated November 30, 2007. Should you become aware of information different from the conditions described in the attached documents, you are required as the owner of the property to notify this office. Subsequent owners will also become subject to this notification requirement; therefore, copies of this letter and the attached documents should be provided to any party or parties to whom you transfer ownership of this property in whole or in part.

Please direct questions regarding this matter to David Reuland of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,

David Reuland
Unit Coordinator
Hazardous Sites Response Program

c. Amelia S. Magee, King and Spalding
File: Non-HSI (Georgia Tech 14th Street Site [Georgia Tech Foundation property], Fulton County)
Encl.: Trip Report
RQSM Score sheet
Recommendation Memorandum

S:\RDRIVE\DAVE\NONHSI\Georgia Tech 14th Street Site\nonhsi letter ga tech 14th ga tech foundation.doc

Georgia Department of Natural Resources
2 Martin Luther King, Jr. Drive, S.E., Suite 1462 East, Atlanta, Georgia 30334-9000
Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch, PhD., Director
404/657-8600

April 4, 2008

Ms. Carolyn Floyd
133 Asphalt Plant Road
Bainbridge, Georgia 39817

Re: HSRA Release Notification
Floyd Drum Site
133 Asphalt Plant Road,
Bainbridge, Georgia 39817

Dear Ms. Floyd:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

**Based upon the information available to EPD at the time this evaluation was done, including your notification dated September 21, 2007, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property.** The property was evaluated as having no release to soil or groundwater. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to John Maddox of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,

R. Campbell

Regina Campbell
Acting Unit Coordinator
Hazardous Sites Response Program

Encl.: Release Notification form
Trip Report
RQSM Score sheet
Recommendation Memorandum

File: Non-HSI, [Decatur County] Floyd Drum Site
S:\RDRIVE\JMaddox\Non HSI\Floyd Drum\Notification letter.doc

# Georgia Department of Natural Resources

2 Martin Luther King, Jr. Drive, S.E., Suite 1462 East, Atlanta, Georgia 30334-9000
Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch, PhD., Director
404/657-8600


April 4, 2008

**CERTIFIED MAIL**
**Return Receipt Requested**

Mr. Christopher D. Hardy
Hammond TSO, LLC
c/o The Simpson Organization
1401 Peachtree Street, Suite 400
Atlanta, Georgia 30309

Re: HSRA Release Notification for
Hammond Springs Retail Center
5975 Roswell Road
Atlanta, Georgia 30328

Dear Mr. Hardy:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

**Based upon the information available to EPD at the time this evaluation was done, including your notification dated July 18, 2007, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property.** The property was evaluated as having unlimited access, commercial use with the nearest drinking water well located greater than two (2) miles. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Jacki Scarbary of the Hazardous Sites Response Program at (404)657-8600.

Sincerely,

Robert J. Valli, P.G.
Unit Coordinator
Hazardous Sites Response Program

File: Non-HSI (Hammond Springs Retail Center)
Encl.: Release Notification form, Trip Report
RQSM Score sheet, Recommendation Memorandum

S:\RDRIVE\Jacki\HSI and Non-HSI\Hammond Springs Shopping Center\non-HSI letter.doc

Georgia Department of Natural Resources
2 Martin Luther King, Jr. Drive, SE, Suite 1462 East, Atlanta, Georgia 30334
Noel Holcomb, Commissioner
Environmental Protection Division
Dr. Carol A. Couch, Director
404/657-8600

April 7, 2008

BFRC
c/o Ms. Debra Hamlin/Senior Project Manager-Environmental
333 East Lake Street
Bloomingdale, Illinois 60108

RE: HSRA Release Notification
Firestone Complete Auto Care
63 Martin Luther King Jr. Blvd.
Savannah, Chatham County, Georgia

Dear Ms. Hamlin:

This correspondence responds to the Release Notification that you sent to the Georgia Environmental Protection Division (EPD) regarding a release at the above referenced site. Please be advised EPD has determined the subject Release Notification involves petroleum based fuel, lubricants, and/or hydraulic fluid and/or substances otherwise regulated under the Georgia Underground Storage Tank Act (O.C.G.A. §12-13-1). Pursuant to Section 391-3-19-.04(2)(g) and (h) of the Georgia Rules for Hazardous Site Response, releases of the nature described above are not subject to notification requirements under the Georgia Hazardous Site Response Act or the Rules for Hazardous Sites Response. Consequently, your notification will not be evaluated for listing on the Hazardous Site Inventory unless it is determined that the release otherwise poses a danger to human health or the environment that cannot be addressed by the Underground Storage Tank Management Program.

As a potential petroleum-related release to groundwater has occurred at this site, we are transmitting a copy of our file to EPD's Underground Storage Tank Management Program for any action they deem appropriate. If you have any questions regarding this matter, please call Mr. Ron Wallace of EPD's Underground Storage Tank Management Program at (404) 362-2687.

If you have any questions regarding this determination, please call Elizabeth Maddox at (404) 657-8600.

Sincerely,

Regina Campbell
Unit Coordinator
Hazardous Sites Response Program

File: Non-HSI, [Chatham County]
S:\RDRIVE\Elizabeth\notifications\Firestone\NonLetter.doc

# Georgia Department of Natural Resources

2 Martin Luther King, Jr. Drive, S.E., Suite 1462 East, Atlanta, Georgia 30334-9000
Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch, PhD., Director
404/657-8600


April 10, 2008

**CERTIFIED MAIL**
**Return Receipt Requested**

Ford Motor Company
c/o Environmental Quality Office
3 Parkland Blvd., Suite 950 West
Dearborn, Michigan 48126

Re: HSRA Release Notification for
Ford Motor Company Atlanta Assembly Plant
340 Henry Ford II Avenue
Hapeville, Georgia 30354

Dear Sirs:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

**Based upon the information available to EPD at the time this evaluation was done, including your notification dated March 13, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property.** The property was evaluated as being inaccessible, commercial use with the nearest downgradient drinking water well located greater than three (3) miles. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Jacki Scarbary of the Hazardous Sites Response Program at (404)657-8600.

Sincerely,

Robert J. Valli, P.G.
Unit Coordinator
Hazardous Sites Response Program

File: Non-HSI (Ford Motor Company Atlanta Assembly Plant)
Encl.: Release Notification form, Trip Report
RQSM Score sheet, Recommendation Memorandum
c: Charles H. Tisdale, King & Spalding, LLP
S:\RDRIVE\Jacki\HSI and Non-HSI\Ford Motor Plant\non-HSI letter.doc

# Georgia Department of Natural Resources

2 Martin Luther King, Jr. Drive, S.E., Suite 1462 East, Atlanta, Georgia 30334-9000
Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch, PhD., Director
404/657-8600


April 14, 2008

Mr. Scott Corbett
P. O. Box 210
Wilmington, NC 28402

Re: HSRA Release Notification
Talley-Corbett
623 Hutchinson Avenue
Adel, Cook County, Georgia 31620

Dear Mr. Corbett:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

**Based upon the information available to EPD at the time this evaluation was done, including your release notification dated January 2, 2008 and supplemental information dated March 11, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property.** The property was evaluated as non-residential, having unlimited access, with the nearest daycare located 301 to 1000 feet and the nearest well 1 to 2 miles, and a release to groundwater above the Maximum Contaminant Level (MCL). Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Renee Hill at (404) 657-8600.

Sincerely,

David Brownlee

David Brownlee
Unit Coordinator
Hazardous Sites Response Program

C: Joseph L. Zuncich, Applied Resources Management, P.C.
File: Non-HSI (Talley-Corbett Box Company)
Encl.: Trip Report
RQSM Score sheet
Recommendation Memorandum

S:\RDRIVE\RHill\Sites\Talley-Corbett Box Company\Non-HSI Letter for Talley-Corbett Box Company.doc

**Georgia Department of Natural Resources**
2 Martin Luther King Jr. Drive, SE, Suite 1462 East Atlanta, Georgia 30334
Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch, Ph.D., Director
Hazardous Waste Management Branch
404-657-8600

April 15, 2008

Crain-Headley, Inc.
c/o Mr. Joe Crain
P.O. Box 386
Newnan, Georgia 30264

RE: HSRA Release Notification
Ellen Sims Court – Vacant Lot
Newnan, Coweta County

Dear Mr. Crain:

This correspondence responds to the Release Notification that you sent to the Georgia Environmental Protection Division (EPD) regarding a release at the above-referenced property. Please be advised EPD has determined the subject Release Notification involves petroleum based fuel, lubricants, and/or hydraulic fluid and/or substances otherwise regulated under the Georgia Underground Storage Tank Act (O.C.G.A. §12-13-1). Pursuant to Section 391-3-19-.04(2)(g) and (h) of the Georgia Rules for Hazardous Site Response, releases of the nature described above are not subject to notification requirements under the Georgia Hazardous Site Response Act or the Rules for Hazardous Sites Response. Consequently, your notification will not be evaluated for listing on the Hazardous Site Inventory.

If you have any questions regarding this determination, please call Carrie Williams, PG at (404) 657-8600.

Sincerely,

Regina Campbell
Acting Unit Coordinator
Hazardous Sites Response Program

cw/RC
c: Roger White (Georgia Oilmen's Services)

File: Non-HSI [Coweta]

S:\RDRIVE\CWilliams\Notifications\Craine Headley Inc\No listing ltr_Craine Headley.doc

Georgia Department of Natural Resources
2 Martin Luther King, Jr. Drive, SE, Suite 1462 East, Atlanta, Georgia 30334
Noel Holcomb, Commissioner
Environmental Protection Division
Dr. Carol A. Couch, Director
404/657-8600

April 17, 2008

Mr. G. Scott Kilburn
Ogeechee Savannah Investors, LLC
5784 Lake Forrest Drive, Suite 212
Atlanta, Georgia 30328

RE: HSRA Release Notification
Former Sam's Club
3609 Ogeechee Rd.
Savannah, Chatham County, Georgia

Dear Mr. Kilburn:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred. As EPD has determined that a reportable quantity has not been exceeded in groundwater and the on-site pathway evaluation has been deferred, this property will not be listed on the Hazardous Site Inventory.

The on-site pathway evaluation has been deferred due to EPD's receipt of a prospective purchaser corrective action plan (CAP) for this property pursuant to the Hazardous Site Reuse and Redevelopment ("Brownfields") Act. It is our understanding that the purchaser is currently conducting a soil cleanup under oversight by the Brownfields program, in accordance with an approved CAP schedule. The on-site pathway will be evaluated after the soil cleanup is complete, unless EPD determines that the release requires an evaluation sooner.

This evaluation was made on the basis of current site conditions and information available to EPD including your notification dated February 15, 2008 (see attached documents). Should you become aware of information different from the conditions described in the attached documents, you are required as the owner of the property to notify this office. Subsequent owners will also become subject to this notification requirement; therefore, copies of this letter and the attached documents should be provided to any party or parties to whom you transfer ownership of this property in whole or in part.

Please direct questions regarding this matter to Mr. Abebi Stafford of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,

Robert Valli, PG
Unit Coordinator
Hazardous Sites Response Program

Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo

c: John Spinard, Arnall Golden & Gregory (w/o attachments)
Thomas R. Harper, Environmental Technology Resources Inc. (w/o attachments)

File: Non-HSI, [Chatham County] Sams Club, Ogeechee Rd.
S:\RDRIVE\Abebi\Notifications\Former_Sams_Club_Ogeechee_Rd_Savannah\listletterSAMS_OgeecheeRdSav.doc

Georgia Department of Natural Resource
2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-90
Noel Holcomb, Commission
Environmental Protection Divisi
Carol A. Couch Ph.D., Direct
Phone 404/657-8600 FAX 404/657-080

April 24, 2008

Beaker Properties II, LLC
c/o Jeff Alender
103 Walnut Grove Road
Cartersville, Georgia 30120

Re: HSRA Release Notification
Resource Innovations I, LLC
8 Riverside Drive, Cartersville, Bartow County

Dear Mr. Alender:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

**Based upon the information available to EPD at the time this evaluation was done, including your notification dated March 3, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property.** The property was evaluated as having unlimited access, non-residential use, with the nearest drinking water well located within one-half mile. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Jason Metzger of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,

Regina Campbell
Acting Unit Coordinator
Hazardous Sites Response Program

Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo

File: Non-HSI (Resource Innovations I, LLC, Bartow County)

S:\RDRIVE\JMetzger\Notifications\Resource Innov\non-HSI ltr.doc

Georgia Department of Natural Resources
2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000
Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch Ph.D., Director
Phone 404/657-8600 FAX 404/657-0807

April 28, 2008

Buckhead Joint Venture
c/o Newburger-Andes & Co., Inc.
Atten: Mr. Sid Newburger
201 Allen Road, N.E., Suite 300
Atlanta, GA 30328

Re: HSRA Release Notification
2915 Peachtree Road, N.E.
Atlanta, Georgia 30306 (Fulton County)

Dear Mr. Newburger:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

**Based upon the information available to EPD at the time this evaluation was performed, including your notification dated March 11, 2008; EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property.** The property was evaluated as having unlimited access, the nearest resident individual less than 300 feet from the property and the nearest drinking water well greater than 1 mile from the property. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

As a potential petroleum-related release to groundwater has occurred at this site, we are transmitting a copy of our file to EPD's Underground Storage Tank Management Program for any action they deem appropriate. If you have any questions regarding this matter, please call Mr. Ron Wallace of EPD's Underground Storage Tank Management Program at (404) 362-2687.

Please direct questions regarding this matter to Carrie Williams, P.G. of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,

Regina Campbell
Acting Unit Coordinator
Hazardous Sites Response Program

S:\RDRIVE\CWilliams\Notifications\2915 Peachtree Road\non-hsi_2915 Peachtree.doc
File: Non-HSI [2915 Peachtree]
Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo