

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr., S.E., Suite 1462 East, Atlanta, Georgia 30334

Chris Clark, Commissioner
Environmental Protection Division
F. Allen Barnes, Director
Land Protection Branch
Mark Smith, Branch Chief

Reply To:

Response and Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404/657-8600 Fax 404-657-0807

April 1, 2010

The William Carter Company
c/o Simon Tomlinson
1170 Peachtree Street, Suite 900
Atlanta, Georgia 30309

Re: HSRA Release Notification
Former WC Company-Barnesville
31 Mathews Street
Barnesville, Lamar County, Georgia

Dear Mr. Tomlinson:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated February 4, 2010 and supplemental notification dated March 8, 2010, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as being inaccessible, non-residential use, and with the nearest drinking water well located greater than one-half mile from the property. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-19-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Katie Ross at (404) 657-8600.

Sincerely,



David Reuland
Unit Coordinator
Response and Remediation Program

c: Kerry Borders, GLE
Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo
File: Non-HSI (Former WC Company, Lamar County)

S:\Rdrive\KRoss\Notifications\barnesville\non-hsi letter.doc

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr., S.E., Suite 1462 East, Atlanta, Georgia 30334

Chris Clark, Commissioner

Environmental Protection Division

F. Allen Barnes, Director

Land Protection Branch

Mark Smith, Branch Chief

Reply To:

Response and Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404/657-8600 Fax 404-657-0807

**CERTIFIED MAIL
RETURN RECEIPT REQUESTED**

April 1, 2010

The William Carter Company
c/o Simon Tomlinson
1170 Peachtree Street, Suite 900
Atlanta, Georgia 30204


Re: Withdrawal Request
Parking Lot
College Drive, Lamar County
Release Notification

Dear Mr. Tomlinson:

The Georgia Environmental Protection Division (EPD) has reviewed the February 2, 2010 release notification and the supplemental notification information dated March 5, 2010. A release notification was submitted to the EPD on February 2, 2010 for a release of lead to groundwater at 0.0303 mg/l, which is above the federal maximum contaminant level of 0.015 mg/l. After installing a permanent monitoring well (MW-1), lead was reported at a concentration less than the analytical detection limit of 0.010 mg/l. EPD agrees with GLE's determination that a release of lead has not occurred at the above referenced property.

If you have any questions regarding this request, please contact Katie Ross at (404) 657-8600.

Sincerely,



David Reuland
Unit Coordinator
Response and Remediation Program

cc: Kerry Borders, GLE

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000

Reply To:

Response and Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404/657-8600 Fax 404-657-0807

Chris Clark, Commissioner
Environmental Protection Division
F. Allen Barnes, Director
Land Protection Branch
Mark Smith, Branch Chief

April 8, 2010

Mr. Jim Woodcox
Buckhead Ave. Development Co. at Blocks A&C, LLC
Two Buckhead Plaza
3050 Peachtree Road, NW, Ste 200
Atlanta, Georgia 30305

Re: HSRA Release Notification
Block C, Parcel 32, 210 Pharr Road
Atlanta, Georgia 30305

Dear Mr. Woodcox:


Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated February 27, 2007 and the Prospective Purchaser Compliance Status Report (PPCSR) dated November 25, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as residential use, with the nearest drinking water well located greater than 3 miles. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-19-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Jacki Scarbary of the Response and Remediation Program at (404) 657-8600.

Sincerely,



David Brownlee
Unit Coordinator
Response and Remediation Program

c: Randall Quintrell, P.C. (w/o attachments)
Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo
File: Non-HSI (Buckhead Avenues Development Co. at Block A & C, Block, C, Parcel 34, Fulton County)

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000

Reply To:

Response and Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404/657-8600 Fax 404-657-0807

Chris Clark, Commissioner
Environmental Protection Division
F. Allen Barnes, Director
Land Protection Branch
Mark Smith, Branch Chief

April 8, 2010

Mr. Jim Woodcox
Buckhead Ave. Development Co. at Blocks A&C, LLC
Two Buckhead Plaza
3050 Peachtree Road, NW, Ste 200
Atlanta, Georgia 30305

Re: HSRA Release Notification
Block C, Parcel 26, 210 Pharr Road
Atlanta, Georgia 30305

Dear Mr. Woodcox:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated March 20, 2007 and the Prospective Purchaser Compliance Status Report (PPCSR) dated November 25, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as residential use, with the nearest drinking water well located greater than 3 miles. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-19-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Jacki Scarbary of the Response and Remediation Program at (404) 657-8600.

Sincerely,



David Brownlee
Unit Coordinator
Response and Remediation Program

c: Randall Quintrell, P.C. (w/o attachments)
Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo
File: Non-HSI (Buckhead Avenues Development Co. at Block A & C, Block, C, Parcel 26, Fulton County)

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000

Reply To:

Response and Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404/657-8600 Fax 404-657-0807

Chris Clark, Commissioner
Environmental Protection Division
F. Allen Barnes, Director
Land Protection Branch
~~Mark Smith~~, Branch Chief

April 8, 2010

Mr. Jim Woodcox
Buckhead Ave. Development Co. at Blocks A&C, LLC
Two Buckhead Plaza
3050 Peachtree Road, NW, Ste 200
Atlanta, Georgia 30305

Re: HSRA Release Notification
Block A, Parcel 4, 210 Pharr Road
Atlanta, Georgia 30305

Dear Mr. Woodcox:


Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated August 27, 2007 and the Prospective Purchaser Compliance Status Report (PPCSR) dated November 25, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as residential use, with the nearest drinking water well located greater than 3 miles. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-19-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Jacki Scarbary of the Response and Remediation Program at (404) 657-8600.

Sincerely,



David Brownlee
Unit Coordinator
Response and Remediation Program

c: Randall Quintrell, P.C. (w/o attachments)
Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo
File: Non-HSI (Buckhead Avenues Development Co. at Block A & C, Block, A, Parcel 4, Fulton County)

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000

Reply To:

Response and Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404/657-8600 Fax 404-657-0807

Chris Clark, Commissioner
Environmental Protection Division
F. Allen Barnes, Director
Land Protection Branch
Mark Smith, Branch Chief

April 8, 2010

Mr. Jim Woodcox
Buckhead Ave. Development Co. at Blocks A&C, LLC
Two Buckhead Plaza
3050 Peachtree Road, NW, Ste 200
Atlanta, Georgia 30305

Re: HSRA Release Notification
Block C, Parcel 27, 210 Pharr Road
Atlanta, Georgia 30305

Dear Mr. Woodcox:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated May 29, 2007 and the Prospective Purchaser Compliance status Report (PPCSR) dated November 25, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as residential use, with the nearest drinking water well located greater than 3 miles. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-19-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Jacki Scarbary of the Response and Remediation Program at (404) 657-8600.

Sincerely,



David Brownlee
Unit Coordinator
Response and Remediation Program

c: Randall Quintrell, P.C. (w/o attachments)
Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo
File: Non-HSI (Buckhead Avenues Development Co. at Block A & C, Block, C, Parcel 27, Fulton County)

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000

Reply To:

Response and Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404/657-8600 Fax 404-657-0807

Chris Clark, Commissioner
Environmental Protection Division
F. Allen Barnes, Director
Land Protection Branch
Mark Smith, Branch Chief

April 8, 2010

Mr. Jim Woodcox
Buckhead Ave. Development Co. at Blocks A&C, LLC
Two Buckhead Plaza
3050 Peachtree Road, NW, Ste 200
Atlanta, Georgia 30305

Re: HSRA Release Notification
Block C, Parcel 31, 210 Pharr Road
Atlanta, Georgia 30305

Dear Mr. Woodcox:


Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated July 10, 2007 and the Prospective Purchaser Compliance Status Report (PPCSR) dated November 25, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as residential use, with the nearest drinking water well located greater than 3 miles. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-19-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Jacki Scarbary of the Response and Remediation Program at (404) 657-8600.

Sincerely,



David Brownlee
Unit Coordinator
Response and Remediation Program

c: Randall Quintrell, P.C. (w/o attachments)
Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo
File: Non-HSI (Buckhead Avenues Development Co. at Block A & C, Block, C, Parcel 31, Fulton County)

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000

Reply To:

Response and Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404/657-8600 Fax 404-657-0807

Chris Clark, Commissioner
Environmental Protection Division
F. Allen Barnes, Director
Land Protection Branch
Mark Smith, Branch Chief

April 8 2010

Mr. Jim Woodcox
Buckhead Ave. Development Co. at Blocks A&C, LLC
Two Buckhead Plaza
3050 Peachtree Road, NW, Ste 200
Atlanta, Georgia 30305

Re: HSRA Release Notification
Block A, Parcels 16 & 17, 210 Pharr Road
Atlanta, Georgia 30305

Dear Mr. Woodcox:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated March 9, 2007 and the Prospective Purchaser Compliance Status Report (PPCSR) dated November 25, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as residential use, with the nearest drinking water well located greater than 3 miles. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-19-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Jacki Scarbary of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,



David Brownlee
Unit Coordinator
Response and Remediation Program

c: Randall Quintrell, P.C. (w/o attachments)
Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo
File: Non-HSI (Buckhead Avenues Development Co. at Block A & C, Block, A, Parcel 16 & 17, Fulton County)

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000

Reply To:

Response and Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404/657-8600 Fax 404-657-0807

Chris Clark, Commissioner
Environmental Protection Division
F. Allen Barnes, Director
Land Protection Branch
Mark Smith, Branch Chief

April 8, 2010

Mr. Jim Woodcox
Buckhead Ave. Development Co. at Blocks A&C, LLC
Two Buckhead Plaza
3050 Peachtree Road, NW, Ste 200
Atlanta, Georgia 30305

Re: HSRA Release Notification
Block C, Parcel 34, 210 Pharr Road
Atlanta, Georgia 30305

Dear Mr. Woodcox:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated February 27, 2007 and the Prospective Purchaser Compliance Status Report(PPCSR) dated November 25, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as residential use, with the nearest drinking water well located greater than 3 miles. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-19-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Jacki Scarbary of the Response and Remediation Program at (404) 657-8600.

Sincerely,



David Brownlee
Unit Coordinator
Response and Remediation Program

c: Randall Quintrell, P.C. (w/o attachments)
Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo
File: Non-HSI (Buckhead Avenues Development Co. at Block A & C, Block, C, Parcel 34, Fulton County)

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr. S.E., Suite 1462 East, Atlanta, Georgia 30334

Chris Clark, Commissioner
Environmental Protection Division
F. Allen Barnes, Director
Land Protection Branch
Mark Smith, Branch Chief

April 13, 2010

Mr. Patel Ranjanben
60 Minute Cleaners
2955 Mandy Court
Jonesboro, Georgia 30236

Re: HSRA Release Notification
60 Minute Cleaners
525 Cleveland Avenue SW
Atlanta, Georgia 30315

Dear Mr. Ranjanben:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated March 16, 2010, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having unlimited access, non-residential use, with the nearest active drinking water well located within 1 to 2-miles of the site. Enclosed is a copy of our recommendation memorandum and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Kristen Ritter Rivera of the Response and Remediation Program at (404) 657-8600.

Sincerely,



David Reuland
Unit Coordinator
Response and Remediation Program

File: Non-HSI (60 Minute Cleaners, Fulton County)
Encl.: Recommendation Memorandum
RQSM Score sheet

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr., S.E., Suite 1066 East, Atlanta, Georgia 30334
Chris Clark, Commissioner
Environmental Protection Division
F. Allen Barnes, Director
Land Protection Branch
Mark Smith, Branch Chief

Reply To:
Response and Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404/657-8600 Fax 404-657-0807

April 13, 2010

Mr. Kory Reeves
EMD Chemicals
P.O. Box 1206
Savannah, Georgia 31402

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Re: HSRA Release Notification
EMD Chemicals, Inc.
110 EM Industries Boulevard, Savannah
Chatham County, GA 31407

Dear Mr. Reeves:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated January 19, 2010; EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as non-residential, having unlimited access, with the nearest residence located 3001-feet to 1-mile away, and no downgradient drinking water wells located within 3-miles from the referenced property. Enclosed is a copy of our recommendation memorandum and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please contact our office at (404) 657-8600 with any questions regarding this matter.

Sincerely,



David Brownlee
Unit Coordinator
Response and Remediation Program

File: Non-HSI (EMD Chemicals, Savannah, Chatham County)
Encl.: Release Notification Form
RQSM Score sheet
Recommendation Memorandum

S:\RDRIVE\Kevin\HSRP Projects\Release Notifications\EMD Chemicals\Non-HSI Letter-EMD Chemicals.doc

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr. S.E., Suite 1462 East, Atlanta, Georgia 30334

Chris Clark, Commissioner
Environmental Protection Division
F. Allen Barnes, Director
Land Protection Branch
Mark Smith, Branch Chief

April 13, 2010

Mr. Patel Ranjanben
60 Minute Cleaners
2955 Mandy Court
Jonesboro, Georgia 30236

Re: HSRA Release Notification
60 Minute Cleaners
525 Cleveland Avenue SW
Atlanta, Georgia 30315

Dear Mr. Ranjanben:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated March 16, 2010, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having unlimited access, non-residential use, with the nearest active drinking water well located within 1 to 2-miles of the site. Enclosed is a copy of our recommendation memorandum and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Kristen Ritter Rivera of the Response and Remediation Program at (404) 657-8600.

Sincerely,



David Reuland
Unit Coordinator
Response and Remediation Program

File: Non-HSI (60 Minute Cleaners, Fulton County)
Encl.: Recommendation Memorandum
RQSM Score sheet

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-900

Reply To:

Response and Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404/657-8600 Fax 404-657-0807

Chris Clark, Commissione
Environmental Protection Divisio
F. Allen Barnes, Directo
Land Protection Branc
Mark Smith, Branch Chic

April 16, 2010

Mr. Charles M. Asensio
c/o Mr. Robert Vorus, Executive Vice President
Georgia Primary Bank
3880 Rosewell Road
Atlanta, GA 30355

Release Notification
Snapfinger Commercial
2500 Snapfinger Road
Decatur, GA 30034

Dear Mr. Brawner:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated March 23, 2010, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having unlimited access, non-residential use with the nearest drinking water well located greater than one mile from the site. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Mr. Yue Han of the Response and Remediation Program at (404) 657-8600.

Sincerely



David Brownlee
Unit Coordinator
Response and Remediation Program

c: Robert Brawner, One Consulting Group, Inc.
File: Non-HSI (2500 Snapfinger Road, Decatur, Dekalb County)
Encl.: Release Notification form
RQSM Score sheet
RecommendationMemorandum

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr., S.E., Suite 1462 East, Atlanta, Georgia 30334

Chris Clark, Commissioner

Environmental Protection Division

F. Allen Barnes, Director

Land Protection Branch

Mark Smith, Branch Chief

404/657-8600 Fax 404-657-0807

April 22, 2010

Georgia Power Company
c/o Mr. Dennis Nix, Environmental Specialist
241 Ralph McGill Boulevard, Bin 10221
Atlanta, Georgia 30308

RE: HSRA Release Notification
Georgia Power Company-Operating Headquarters
760 Ralph McGill Boulevard
Atlanta, Fulton County, Georgia 30312

Dear Mr Nix:


Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated March 1, 2010, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as inaccessible with impacted soil 0-6 inches with no cover, non-residential use, and the nearest drinking water well located greater than 0.5-mile from the property. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-19-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Carolyn L. Daniels of the Response and Remediation Program at (404) 657-8600.

Sincerely,



David Reuland
Unit Coordinator

Response and Remediation Program

File: Non-HSI, [Georgia Power-Operating Headquarters, Fulton County]

S:\DRIVE\DANIELSC\SITES\OTHER\Release Notifications\GA Power Co Operating HQ\NON-HSI Decision Georgia Power.doc

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000

Reply To:

Response and Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404/657-8600 Fax 404-657-0807

Chris Clark, Commissioner
Environmental Protection Division
F. Allen Barnes, Director
Land Protection Branch
Mark Smith, Branch Chief

April 23, 2010

The Salvation Army
c/o Mr. Chris Durand
1190 W. Druid Hills Drive, Suite 150
Atlanta, GA 30329

Re: HSRA Release Notification, The Salvation Army
89 William Holmes Borders Drive, Atlanta, Fulton, Georgia

Dear Mr. Durand:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred. As EPD has determined that a reportable quantity has not been exceeded in groundwater and the on-site pathway evaluation has been deferred, this property will not be listed on the Hazardous Site Inventory.

The on-site pathway evaluation has been deferred due to EPD's receipt of a prospective purchaser corrective action plan (CAP) for this property pursuant to the Hazardous Site Reuse and Redevelopment ("Brownfields") Act. Upon approval of the CAP and sale of the property, the purchaser will conduct soil cleanup under oversight by the Brownfields program, in accordance with an approved schedule. The on-site pathway will be evaluated after the soil cleanup is complete, unless EPD determines that the release requires an evaluation sooner.

This evaluation was made on the basis of current site conditions and information available to EPD, including your notification dated March 18, 2010 (see attached documents). Should you become aware of information different from the conditions described in the attached documents, you are required as the owner of the property to notify this office. Subsequent owners will also become subject to this notification requirement; therefore, copies of this letter and the attached documents should be provided to any party or parties to whom you transfer ownership of this property in whole or in part.

Please direct questions regarding this matter to Mr. Yue Han of the Response and Remediation Program at (404) 657-8600.

Sincerely,



David Brownlee
Unit Coordinator
Response and Remediation Program

c: Kristin Holloway Jones (w/o attachments)
Madeleine Kellam, EPD (w/ attachments)
Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo
File: Brownfields (The Salvation Army, Fulton)